

Fig. 1





Fig. 2



3/32

Fig. 3






Fig. 4



5/32

Fig. 5



6/32

Fig. 6





Fig. 7

7/32







Fig. 10

10/32



11/32

Fig. 11




Fig. 12

12/32






Fig. 13

13/32



14/32

Fig. 14



15/32

Fig. 15





Fig. 16

16/32



17/32

Fig. 17





Fig. 18

18/32



Title: SUBSTRATE FOR A LIQUID CRYSTAL DEVICE, METHOD OF MANUFACTURING A
SUBSTRATE FOR A LIQUID CRYSTAL DEVICE, A LIQUID CRYSTAL DEVICE, A METHOD OF
MANUFACTURING A LIQUID CRYSTAL DEVICE, AND AN ELECTRONIC APPARATUS

Inventor: TADASHI TSUYUKI, ET AL.

Atty. Ref. No.: 9319S-000308

Fig. 19

19/32





Fig. 20

20/32



21/32




Fig. 22

22/32





Fig. 23

23/32



24/32

Fig. 24




Fig. 25

25/32




Fig. 26

26/32




Fig. 27

27/32




Fig. 28

28/32




Fig. 29

29/32




Fig. 30

30/32




Fig. 31

31/32




Fig. 32

32/32

